




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : H04Q 7/22, 7/32, 7/34</p>	<p>A2</p>	<p>(11) International Publication Number: WO 98/388 20 (43) International Publication Date: 3 September 1998 (03.09.98)</p>
<p>(21) International Application Number: PCT/SE98/00214 (22) International Filing Date: 6 February 1998 (06.02.98) (30) Priority Data: 08/806,659 26 February 1997 (26.02.97) US (71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). (72) Inventor: HANSSON, Lars; Brännkyrkagatan 44, S-118 22 Stockholm (SE). (74) Agents: NORIN, Klas et al.; Ericsson Radio Systems AB, Common Patent Dept., S-164 80 Stockholm (SE).</p>	<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>Without international search report and to be republished upon receipt of that report.</i></p>	

(54) Title: METHOD AND APPARATUS FOR REMOTELY UPGRADING CONTROL SOFTWARE IN A CELLULAR TELEPHONE

(57) Abstract

The present invention comprises a method and apparatus for downloading software into a remotely located cellular telephone (110) via wireless communication. The cellular telephone (110) includes two memories (130, 150) for storing software with one memory (130) storing the current software and the second memory (150) available for downloading new software. The present invention further includes a processor (100) in communication with the cellular telephone (110) via cellular telephone network (120). The processor (100) contains the new software and controls the downloading of the software from the processor (100) into the cellular telephone memory (150). The cellular telephone (110) includes a controller (140) for loading the received software into the cellular telephone memory and for performing a checksum on the new software.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

METHOD AND APPARATUS FOR REMOTELY UPGRADING CONTROL SOFTWARE IN A CELLULAR TELEPHONE

BACKGROUND OF THE INVENTION

5 Technical Field of the Invention

The present invention pertains in general to a method and apparatus for remotely upgrading software in a cellular telephone, and more particularly, to remotely upgrade software in a cellular telephone via wireless communication using the Interim Standard-136 protocol.

10 Description of Related Art

Cellular telephones are typically programmed with two pieces of software, a first piece is hard coded in programmable read only memory (PROM) and a second, upgradable piece, is loaded into flash Programmable Read Only Memory (flash-PROM). The upgradable portion contains control software for the cellular telephone.

15 Due to a variety of reasons including the addition of new features and "bug fixes," among others, the control software loaded in the flash-PROM may be periodically upgraded. If the reason for upgrading the control software occurs before the cellular telephone is shipped to a customer, the cellular telephone can be reprogrammed at the factory or at various points along the distribution chain. If, however, the reason for

20 upgrading occurs after the customer has received the cellular telephone a cellular telephone customer will be required to bring the cellular telephone to a vendor for reprogramming. Alternatively, if the change to the software is minor, the cellular telephone customer may choose not to upgrade the cellular telephone. This may affect the quality of speech, reduce the number of functioning features, etc. resulting in an

25 image of poor quality for the particular brand of cellular telephone. It would be advantageous therefore, to devise a method and apparatus to reprogram a cellular telephone remotely using a wireless communication link. Furthermore, it would be advantageous if such a method and apparatus retained the old software until the

30 upgraded software has been tested and verified.

30

-2-

SUMMARY OF THE INVENTION

The present invention comprises a method and apparatus for downloading software into a remotely located cellular telephone via wireless communication. The cellular telephone includes two memories for storing software with a first memory storing the current software and the second memory available for downloading a new version of the software. The cellular telephone also includes a controller for loading the software received via wireless communications into the cellular telephone memory. The controller further calculates a checksum on the received data.

The present invention also includes an update server processor in communication with the cellular telephone via a cellular telephone network. The update server processor contains the new version of the software and controls the downloading of the software into the cellular telephone.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention, reference is made to the following detailed description taken in conjunction with the accompanying drawings wherein:

Figure 1 illustrates a functional block diagram of an apparatus for a remotely downloading software into a cellular telephone; and

Figure 2 illustrates a flow diagram for a preferred embodiment of the present invention.

DETAILED DESCRIPTION OF EMBODIMENTS

Although the description of the preferred embodiment details the implementation of the invention in the Interim Standard-136 protocol, the particular protocol is used by way of example and it is understood that the present invention can be practiced to other cellular telephone standards.

Referring now to Figure 1, there is illustrated an apparatus for remotely downloading software into a cellular telephone. An update server processor 100 communicates with a cellular telephone network 120 which in turn provides wireless communication to a cellular telephone 110. The update server processor 100 contains

-3-

the new version of the software and controls the process for downloading the new software into the cellular telephone 110.

In addition to the functionality normally located within the cellular telephone 110, the cellular telephone 110 further contains a controller 140, a first memory 130, and a second memory 150. The controller 140 communicates with the update server processor 100 and loads software transmitted to the cellular telephone 110 from the update server processor 100 into either the first memory 130 or the second memory 150. The controller 140 designates one of the two memories 130 or 150 as active and the other as inactive with the active memory containing the software currently used by the cellular telephone 110. The controller 140 can also toggle between the two memories 130 and 150, thereby designating the formerly active memory as inactive, and conversely, designating the formerly inactive memory as active. Toggling between the memories 130 and 150 results in the cellular telephone 110 switching to use the software contained in the newly designated active memory. Before reaching the cellular telephone subscriber, the cellular telephone 110 is loaded with software in one of the two memories 130 or 150 at the factory and the same memory is designated as active. For purposes of this disclosure it is assumed that the software loaded at the factory is loaded into the first memory 130 and that the first memory 130 is designated as active and the second memory 150 is designated as inactive.

When a new version of the software is available, the update server processor 100 transmits a message via the cellular telephone network 120 to the cellular telephone 110 offering the option to download the new version of the software. The cellular telephone subscriber can choose to ignore the message, in which case the cellular telephone 100 continues to operate using the software currently located in the memory designated as active. Alternatively, the cellular telephone subscriber can choose to download the new version of the software immediately or at some time in the future, in which case the cellular telephone subscriber follows the instructions provided in the message offering to download the new software. Typically, the cellular telephone subscriber is instructed to depress a specific key or keys to initiate the downloading process.

-4-

If the cellular telephone subscriber accepts the offer to download the new software either now or in the future, the cellular telephone 110 transmits an acceptance code and the telephone number of the cellular telephone to the update service processor 100. The update server processor 100 receives the acceptance code and telephone number, and when it is ready to download the software, transmits a command instructing the cellular telephone 110 to prepare to receive the new software. The cellular telephone 110 responds to the command by transmitting an acknowledgment message to the update server processor 100 and waits for a data transfer to the cellular telephone. The update server processor 100 transmits the new version of the software to the cellular telephone 110 and the controller 140 loads the new software into the inactive memory, which in this example is the second memory 150.

The controller 140 calculates a checksum on the new software transmitted by the update server processor 100 and compares the calculated checksum against a checksum transmitted to the cellular telephone 110 by the update server processor 100. If the calculated checksum does not match the transmitted checksum, the controller 140 requests a retransmission, does not toggle the designation of the two memories 130 and 150, and the cellular telephone 110 continues to operate using the original software, which for this example is located in the first memory 130. If, on the other hand, the checksum is successful the controller 140 toggles the designation of the two memories 130 and 150. Thus, for the example, memory 150 containing the new software is designated as active, and conversely, memory 130 is designated as inactive. The cellular telephone 110 now uses the new software located in the second memory 150 which becomes the current version of the software. Finally, the cellular telephone 110 transmits a message to the update server processor 110 acknowledging the successful update.

Referring additionally now to Figure 2, there is illustrated a flow diagram for a preferred embodiment of the present invention. The update server processor 100 sends an offer to remotely update the cellular telephone software (step 200). The update server processor 100 uses a Short Message Services (SMS) of the cellular telephone network 120 to transmit a SMS message to either a single cellular telephone

-5-

or to a plurality of cellular telephones. The offer to update the cellular telephone software appears on an alphanumeric display of the cellular telephones intended to receive the offer. The process of sending the SMS messages is well known in the industry. Alternatively, the update server processor 100 can place a cellular telephone call to the intended cellular telephone 110 and announce the offer to update the cellular telephone software.

After receiving the offer to update the software the cellular telephone subscriber can choose to ignore the offer by doing nothing resulting in the cellular telephone 110 continuing to operate using the software currently residing in the active memory, which for this example is the first memory 130. Alternatively, the cellular telephone subscriber can choose to accept the offer (step 210) to update the software by following the instructions contained in the offer to update. To accept the offer, the cellular telephone subscriber is typically instructed to press a single or a series of keys located on the cellular telephone 110.

In response to the cellular telephone subscriber's acceptance of the update, the cellular telephone 110 transmits a SMS message to the update server processor 100, wherein the message contains an acceptance code and the telephone number of the cellular telephone 110 (step 220). The update server processor 100 receives the acceptance code and transmits a SMS message containing a command instructing the cellular telephone 110 to wait for a program download (step 230) and the cellular telephone 110 responds by transmitting a SMS message containing an acknowledgment of the command (step 240). In response to receiving the acknowledgment from the cellular telephone 110, the update server processor 100 begins downloading software (step 250). To download the software, in a first embodiment, the update server processor 100 places a cellular telephone call to the cellular telephone 110 via the cellular telephone network 120, and in another embodiment, the phone could call the processor to have the software downloaded, thereby opening up a digital traffic channel between the update server processor 100 and the cellular telephone 110. If the subscriber does not select immediate download, he/she will be given a telephone number which he/she can call at a later date and receive the upgraded software.

-6-

In a first embodiment of the present invention, the update server processor 100 downloads the software by placing a call to the cellular phone and performing an Interim Standard-136 data transfer to the cellular telephone 110 on the digital traffic channel. The update server processor 100 transmits a header containing the length of the file to be downloaded and a checksum performed on the file by the update server processor 100 and further transmits the software to the cellular telephone 110.

In a second embodiment of the present invention, the update server processor 100 rather than performing an Interim Standard-136 data transfer, instead places a call to a cellular phone and transmits the software via SMS messages on the digital traffic channel. The process of transmitting SMS messages on the digital traffic channel is well known in the industry. As in the first embodiment, the update server processor 100 transmits a header containing the length of the file to be downloaded, a checksum for the data being transmitted as well as the actual software in the SMS message.

As the cellular telephone 110 receives the software using either of the two embodiments of the present invention, the controller 140 places the software in the inactive memory, which in the case of this example is the second memory location 150. After the software has been downloaded into the memory of the cellular telephone 110 the controller 140 calculates a checksum on the downloaded software (step 260). The controller 140 compares the calculated checksum against the transmitted checksum to determine whether the software transfer was successful (step 270). If an error was detected, the cellular telephone 110 sends a SMS message to the update server processor 100 requesting a retransmission of the software (step 280) and the update server processor 100 retransmits the software beginning with the transmission of the command instructing the cellular telephone 110 to prepare for a software download (step 230). Otherwise, if no errors were detected, the controller 140 designates the memory containing the newly downloaded software, which for this example is the second memory 150 as the active memory, and conversely, designates the formerly active memory, in this case the first memory 130 as inactive (step 310). This redesignation or toggling of the two memories 130 and 150 results in the cellular telephone using the newly downloaded software in place of the older software. Finally, the cellular telephone 110 releases the call and transmits a SMS message on

-7-

the DCCH containing an acknowledgment that the update was successful to the update server processor 100 (step 320).

5 Although the preferred embodiments of the methods and apparatus of the present invention have been illustrated in the accompanying Drawings and described in the foregoing Detailed Description, it is understood that the invention is not limited to the embodiments disclosed, but is capable of numerous rearrangements, modifications, and substitutions without departing from the spirit of the invention as set forth and defined by the following claims.

-8-

WHAT IS CLAIMED IS:

1. A method for scheduling the remote downloading of software into a cellular telephone, the method comprising the steps of:

5 sending, by a processor, a first short message services message to the cellular telephone, wherein the message contains an offer to download the software and instructions for accepting the offer;

accepting the offer to download the software in a manner consistent with the instructions contained in the first short message services message; and

10 transmitting, by the cellular telephone, a second short message services message to the processor, wherein the message contains an acceptance code and the telephone number of the cellular telephone.

2. A method for downloading software to a cellular telephone, the message comprising the steps of: transmitting, by a processor, a first short message services message to the cellular telephone, wherein the message contains a command
15 for the cellular telephone to prepare to receive software;

transmitting, by the cellular telephone, a second short message services message, wherein the message contains an acknowledgment in response to the first message;

20 transmitting, by the processor, the software; and
receiving, by the cellular telephone, the software.

3. The method of Claim 2, wherein the step of transmitting the software further includes transmitting a header containing a length of the software and a
25 checksum of the software.

4. The method of Claim 3, further including the steps of:
calculating a checksum on the downloaded software;
comparing the calculated checksum against the checksum contained in the
30 transmitted header; and

-9-

requesting a retransmission of the software if the calculated checksum does not match the transmitted checksum.

5 5. The method of Claim 2, wherein the software is transmitted as an IS-136 data transmission on a digital traffic channel.

6. The method of Claim 2, wherein the software is transmitted as a short message services message on a digital traffic channel.

10 7. The method of Claim 2, wherein the step of receiving the software further includes loading the transmitted software into an inactive memory of the cellular telephone.

15 8. A method for activating software downloaded into an inactive memory of a cellular telephone comprising the steps of:

transferring control of the cellular telephone from current software contained in an active memory to the software contained in the in-active memory; and

20 designating the formerly active memory as in-active and further designating the formerly inactive memory as active resulting in the downloaded software being the current software.

25 9. The method of Claim 8, further including the step of transmitting a short message services message, wherein the message contains an acknowledgment that the update was successful.

30 10. An apparatus for downloading software to a cellular telephone comprising a processor containing the software to be downloaded, the processor communicating with a cellular telephone network to transmit the software to the cellular telephone, and the processor further for controlling downloading of the software.

30

-10-

11. The apparatus of Claim 10 wherein the processor transmits and receives commands and acknowledgments for downloading the software into the cellular telephone via a short message service of a cellular telephone network.

5 12. The apparatus of Claim 10, wherein the processor transmits the software via a short message services message on a digital traffic channel of a cellular telephone network.

10 13. The apparatus of Claim 10 wherein the processor transmits the software as an IS-136 data transmission on a digital traffic channel of a cellular telephone network.

14. An apparatus for receiving downloaded software transmitted to a cellular telephone comprising:

15 an active memory positioned within the cellular telephone for storing current software used by the cellular telephone;

an inactive memory positioned within the cellular telephone for storing downloaded software transmitted to the cellular telephone via wireless communications and;

20 a controller positioned within the cellular telephone communicating with the active and inactive memory, the controller for loading the downloaded software transmitted to the cellular telephone into the inactive memory, the controller further for activating the inactive memory containing the downloaded software and deactivating the active memory containing the current software, thereby transferring
25 control of the cellular telephone from the current software to the downloaded software.

15. The apparatus of Claim 14, wherein the controller receives and transmits commands and acknowledgments for downloading the software into the cellular telephone via a short message services of a cellular telephone network.

30

-11-

16. The apparatus of Claim 14, wherein the controller receives the downloaded software via a short message services message on a digital traffic channel of a cellular telephone network.

5 17. The apparatus of Claim 14, wherein the controller receives the downloaded software as Claim 13 as an IS-136 data transmission on a digital traffic channel of a cellular telephone network.

10 18. The apparatus of Claim 14, wherein the controller further calculates a checksum on the software downloaded into the inactive memory and compares the calculated checksum against the checksum of the downloaded software transmitted to the cellular telephone, the controller further requesting a retransmission of the software if the calculated checksum does not match the transmitted checksum.

15 19. The apparatus of Claim 18 wherein the controller further transmits an acknowledgment if the calculated checksum matches the transmitted checksum.




FIG. 1




FIG. 2

THIS PAGE BLANK (USPTO)




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : H04Q 7/22, 7/32, 7/34</p>	<p>A3</p>	<p>(11) International Publication Number: WO 98/38820 (43) International Publication Date: 3 September 1998 (03.09.98)</p>
<p>(21) International Application Number: PCT/SE98/00214 (22) International Filing Date: 6 February 1998 (06.02.98) (30) Priority Data: 08/806,659 26 February 1997 (26.02.97) US (71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). (72) Inventor: HANSSON, Lars; Brännkyrkagatan 44, S-118 22 Stockholm (SE). (74) Agents: NORIN, Klas et al.; Ericsson Radio Systems AB, Common Patent Dept., S-164 80 Stockholm (SE).</p>	<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p> <p>(88) Date of publication of the international search report: 3 December 1998 (03.12.98)</p>	

(54) Title: METHOD AND APPARATUS FOR REMOTELY UPGRADING CONTROL SOFTWARE IN A CELLULAR TELEPHONE

(57) Abstract

The present invention comprises a method and apparatus for downloading software into a remotely located cellular telephone (110) via wireless communication. The cellular telephone (110) includes two memories (130, 150) for storing software with one memory (130) storing the current software and the second memory (150) available for downloading new software. The present invention further includes a processor (100) in communication with the cellular telephone (110) via cellular telephone network (120). The processor (100) contains the new software and controls the downloading of the software from the processor (100) into the cellular telephone memory (150). The cellular telephone (110) includes a controller (140) for loading the received software into the cellular telephone memory and for performing a checksum on the new software.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

International Application No

PCT/SE 98/00214

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 6 H04Q7/22 H04Q7/32 H04Q7/34

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 6 H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 27270 A (ERICSSON GE MOBILE INC ;HENRY RAYMOND C JR (US); SICHER ALAN E (US) 6 September 1996	10-13
Y	see page 3, line 1 - line 11	1,2,8,9
A	see page 3, line 24 - line 35	5-7, 15-17
	see page 4, line 12 - line 28	
	see page 5, line 33 - page 6, line 1	
	see page 6, line 11 - line 14	
	see page 11, line 17 - line 24	
	see page 11, line 31 - page 12, line 22	
	see page 12, line 33 - page 13, line 5	
	see page 14, line 30 - page 15, line 20	
	see page 15, line 29 - page 16, line 7	
	see page 18, line 23 - page 19, line 17	
	--- -/--	

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

2 October 1998

09/10/1998

Name and mailing address of the ISA
 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

 Gerling, J.C.J.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/SE 98/00214

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	US 5 414 751 A (YAMADA AKIHIRO) 9 May 1995 see column 2, line 62 - column 3, line 6 see column 3, line 58 - column 4, line 66 see column 5, line 43 - line 50 ---	14, 18, 19 1, 2
X Y	EP 0 459 344 A (CIT ALCATEL) 4 December 1991 see column 3, line 31 - column 4, line 39 see column 7, line 29 - line 57 ---	10, 14 8, 9
X A	EP 0 562 890 A (HUTCHISON MICROTEL LIMITED) 29 September 1993 cited in the application see column 1, line 42 - line 52 see column 3, line 37 - column 4, line 18 see column 4, line 48 - column 5, line 32 see column 6, line 10 - line 23 ---	10-12 1-4, 14, 18, 19
A	EP 0 689 368 A (PTT GENERALDIREKTION) 27 December 1995 see column 3, line 6 - line 16 see column 3, line 29 - column 4, line 21 see column 5, line 12 - line 27 see column 5, line 32 - line 36 see column 8, line 51 - column 10, line 45 see column 12, line 55 - column 13, line 11 see column 13, line 23 - line 35 ---	1-4, 10-12, 14, 15, 18, 19
E	US 5 794 142 A (ALANARA SEPPO ET AL) 11 August 1998 see column 2, line 66 - column 3, line 21 see column 4, line 39 - line 50 see column 4, line 59 - line 63 see column 5, line 13 - line 61 see column 7, line 30 - line 63 -----	1, 2, 5, 6, 10-13

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/SE 98/00214

Patent document cited in search report	A	Publication date	Patent family member(s)	Publication date
WO 9627270	A	06-09-1996	US 5603084	11-02-1997
			AU 5300896	18-09-1996
			CA 2213464	06-09-1996
			CN 1182522	20-05-1998
US 5414751	A	09-05-1995	JP 4345332	01-12-1992
EP 0459344	A	04-12-1991	FR 2662891	06-12-1991
			AU 643526	18-11-1993
			AU 7739591	05-12-1991
EP 0562890	A	29-09-1993	NONE	
EP 0689368	A	27-12-1995	AT 153206	15-05-1997
			AU 691271	14-05-1998
			AU 2174595	04-01-1996
			BR 9508091	12-08-1997
			CA 2152215	21-12-1995
			WO 9535635	28-12-1995
			CN 1128476	07-08-1996
			CZ 9603513	14-05-1997
			DE 59402759	19-06-1997
			DK 689368	08-12-1997
			ES 2103557	16-09-1997
			FI 965078	17-12-1996
			GR 3023908	30-09-1997
			HU 76397	28-08-1997
			JP 8265843	11-10-1996
			NO 965315	18-02-1997
			PL 317643	14-04-1997
			SG 34235	06-12-1996
			SI 9520064	30-04-1997
			SK 161396	05-11-1997
ZA 9505091	10-04-1996			
US 5794142	A	11-08-1998	AU 1534597	22-08-1997
			WO 9728662	07-08-1997

THIS PAGE BLANK (USPTO)